

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	24	(design\$ with project\$) and (item with revision\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:17
L2	8	1 and @ad<"20001030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:20
L3	112	(design\$ with item) and (item with revision\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:30
L4	63	3 and @ad<"20001030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:36
L5	5481	(item with specification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:01
L6	12	4 and 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:01
L7	4	6 and (item with draw\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:06
L8	9	4 and (item with draw\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:08
L9	1	4 and (physical with attribute)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:10

L10	15	4 and schedule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:16
L11	2	("5950206").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 12:17
L12	2	("5761674").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 12:17
L13	9	4 and manufacture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:18
L14	213	(item with revision\$) and @ad<"20001030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:36
L15	22	14 and manufacture	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:56
L16	2	"20020077939"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 12:57
L17	10654	(manufacture with specification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:19
L18	225	17 and cad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:19
L19	2718	"19" and (manufact\$ with catalog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:20

L20	10	18 and (manufact\$ with catalog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:20
L21	3	20 and @ad<"20001030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:21
L22	115	18 and @ad<"20001030"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:22
L23	1	22 and (item with catalog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:22
L24	0	22 and (product\$3 with catalog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:22
L25	3	22 and (- catalog)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:22
L26	22	22 and ((item or product) with specification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 13:22
L27	2	("4700318").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:00
L28	2	("6063128").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:01
L29	2	("5950206").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:03

L30	2	("5189606").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:04
L31	2	("5111392").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:05
L32	2	("5255207").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:08
L33	2	("5299307").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 15:12
L34	2	("5319541").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 16:48
L35	2	("6063128").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/26 16:48
L36	0	3 and (707/103.r).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:17
L37	5	3 and (705/29).ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/26 17:17


[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 5,960 for designer template specification structure attribute "data structure".

[DOC] [IADIS Conference Template](#)

File Format: Microsoft Word 2000 - [View as HTML](#)

... is expressed in the final system is still a choice of the **designer**. ... We presented an agent-oriented **specification** technique for developing web-based virtual ...

wwwhome.cs.utwente.nl/~schooten/ www-internet-2004/schooten-www-internet-2004.doc - [Similar pages](#)

[PDF] [Template Specification](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... see the XFA Data Handling **Specification** [XFA-Data ... Alternatively, the **template designer** may choose to provide ... mismatches between the **template structure** and the ...

partners.adobe.com/asn/tech/pdf/dfa/template_2.0.pdf - [Similar pages](#)

[Chapter 6: Constraint Graphs: A Concept Map Meta-Language](#)

... doing the same for individuals (which the **designer** does not ... Figure 30: The library pattern **template**. ... point, the algebraic style of the **specification** is easily ...

pages.cpsc.ucalgary.ca/~kremer/dissertation/Ch6.html - 55k - [Cached](#) - [Similar pages](#)

[PDF] [Requirements Specification](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... The **designer** should take into account that the ... of multiple controls in each report **template**. ... Class Diagram • Sequence Diagram • Component **Specification** ...

software.topcoder.com/catalog/document?id=7410312 - [Similar pages](#)

[Effective use of data models in building web applications](#)

... UDM editor via which a site **designer** can rapidly ... attributes that together constitute a unique **specification** of an ... produce an expansion of a **template** when given ...

www2002.org/CDROM/alternate/698/ - 73k - [Cached](#) - [Similar pages](#)

[Microsoft Office Assistance: InfoPath Glossary](#)

... A World Wide Web Consortium (W3C) **specification** that describes ... into controls that the form **designer** associated with ... form **template** A file or set of files that ...

office.microsoft.com/en-us/ assistance/HP010967441033.aspx - 58k - [Cached](#) - [Similar pages](#)

[Document Integration Templates Standard Proposal Version 2.3](#)

... by abstract names allows a **designer** to specify ... the data source definitions separately from the **template**. ... resource **attribute** allows for the **specification** of an ...

www-personal.umich.edu/~spragge/dit_def.htm - 71k - [Cached](#) - [Similar pages](#)

[Document Integration Templates Model and Specifications](#)

... to the methods for merging data by abstract names allows a **designer** to specify general ... The data integration **specification** can appear in a **template** or in ...

www-personal.umich.edu/~spragge/dit_2_1.htm - 56k - [Cached](#) - [Similar pages](#)

[PDF] [II. Introduction to Data Structure and Abstract Data Types — C ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Introduction to **Data Structure** and Abstract Data Types — C ... is the number of Levi's **designer** 32 ... Translation: This array-of-arrays **structure** of multidimensional ...

cs.calvin.edu/books/c++/ds/1e/ Transparency_Masters/2-DataStrucs&ADTs.pdf - [Similar pages](#)

[\[PDF\] Capturing Designer Expertise](#)

File Format: PDF/Adobe Acrobat

... Once the domain expert, a hardware **designer**, has produced a ... all abstract parts introduced by the **template** must be ... If a method for any **specification** is missing ...

portal.acm.org/ft_gateway.cfm?id=74487&type=pdf - [Similar pages](#)

Goooooooooooooogle ►

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#) Free! [Google Desktop Search](#): Search your own computer. [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google